

Patent

Custom No.: 31561

Docket No.: 11761-US-PA

Application No.: 10/707,112

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Applicant : Lo et al.

Application No. : 10/707,112

Filed : 2003/11/21

For : METHOD FOR FABRICATING PASSIVATION LAYER

Art Unit : 2812

Examiner : Gurley, Lynne Ann

TRANSMITTAL LETTER

002-1-703-872-9306

(Via fax : 1+8 pages)

Assistant Commissioner for Patents
Alexandria, VA 22314

Dear Sir,

In response to the Office Action dated December 30, 2004(Paper No.: 1204), please find the Response to Office Action, in 8 pages.

I believe that no fee is incurred. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 11761-US-PA).

Thank you for your assistance in the subject matter. If you have any questions, please feel free to contact me.

Respectfully Submitted,
JIANQ CHYUN Intellectual Property OfficeDate : March 30, 2005By : Belinda Lee
Belinda Lee
Registration No.: 46,863

Please send future correspondence to:

7F. -1, No. 100, Roosevelt Rd.,

Sec. 2, Taipei 100, Taiwan, R.O.C.

Tel: 886-2-2369 2800 Fax: 886-2-2369 7233 / 886-2-2369 7234

E-MAIL: BELINDA@JCIPGroup.com.tw; USA@JCIPGroup.com.tw

RECEIVED
CENTRAL FAX CENTER

MAR 30 2005

Application No: 10/707,112
Docket No.11761-US-PA
Customer No. 31561

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application)
Application 10/707,112)
Filed: November 21, 2003)
For: METHOD FOR FABRICATING PASSIVATION LAYER)

Applicant: Lo et al.)
Examiner: Gurley, Lynne Ann)
Art Unit 2818)

No fee is believed to be due. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No11761-US-PA)

RESPONSE TO OFFICE ACTION

U.S. Patent and Trademark Office
Commissioner for Patents
2011 South Clark Place
Customer Window, Mail Stop
Crystal Plaza Two, Lobby, Room 1B03
Arlington, Virginia 22202

Dear Sir:

The Office Action mailed on December 30, 2004 has been carefully considered. In response thereto, please enter the following amendments and consider the following remarks.

BEST AVAILABLE COPY